



GENERAL CATALOGUE

FOR STONE, GLASS & STEEL INDUSTRIES

2021

Get The Aardwolf AAdvantage



126

HOW TO FIND EVERYTHING

LIFTING EQUIPMENT

50

WORKSHOP EQUIPMENT

32

A-FRAMES

27

FORKLIFT EQUIPMENT

26

WORKBENCHES & STANDS

18

SLAB RACKS & POSTS

17

TROLLEYS

9

JIB CRANES

CONTACT US



aardwolf.com.au



sales@aardwolf.com.au



+84 274 371 2839

TABLE OF CONTENTS

LIFTING EQUIPMENT

AARDWOLF SLAB LIFTERS	3
VACUUM LIFTERS	
Vacuum Lifters	4
Electric Vacuum Lifters.....	4
Vacuum Glass Lifters.....	7
Vacuum Lifters Handy.....	7-8
Vacuum Block Lifters.....	8
Mechanical Vacuum Lifters	8
Vacuum Paving Lifters.....	9
Vacuum Lifter Parking Stations.....	9
SLAB LIFTERS	11-12
Horizontal Stone Lifting Clamps	
Scissor Clamp Lifters	
Versa Block Clamps	
Monument Clamp/Lifters	
Barrier Lifters	
Billet Lifter	
DRUM LIFTER	13
BRICK LIFTERS	13
Brick Grabs Lifters	
Hydraulic Brick Scissor Grab	
ROCK LIFTER	13
GLASS LIFTERS	13
PIPE LIFTERS	14
Concrete Pipe Lifters	
Lifting Clamps for Round Bar	
Pipe Handling Attachment	
PALLET CRANE FORK	15
SPREADER BEAMS	15
SLAB BUNDLE HANDLERS	15

STONE CARRYING HAND CLAMPS	16
Stone Panel Carriers with Cable	
Carry Clamp for Sheet Material	
Stone & Curb Placement Clamp	
Stone Kerb Clamp	
HAND VACUUM CUPS	17
Hand Vacuum - Cup Lifters	
Oval Hand Vacuum-Cup Lifter	
Double Suction Cup	
Triple Suction Cup	
CARGO LASHINGS & SLINGS	18
Endless Webbing Sling	
Ratchet Tie Downs	

JIB CRANE

19 - 20

Portable Gantry Crane	
Articulated Jib Cranes	
Over Braced Jib Crane	
360° Rotation - Pillar Mounted Jib Crane	
Manual Counterbalance Crane	
Powered Counterbalance Crane	
Powered Counterbalance Crane with Lateral Movement	

FORKLIFT EQUIPMENT

FORKLIFT ATTACHMENTS	21-22
Forklift Booms	
Pivot Forklift Booms	
Fork Extensions	
Fork Extensions Transporter	

ATTACHMENTS & ACCESSORIES22-23

- Twister
- Collapsible Safety Cage
- Bow Shackles
- Swivel Hooks
- Fork Hook Attachments

SLAB RACKS, BUNDLE RACK & POSTS

24

- Slab Rack
- Bundle Rack
- Workshop Rack
- Finished Goods Rack
- Remnant Rack
- Steel Post Bases
- Finished Goods Rack Post
- Slab Rack Extra Strong Posts
- Bundle Rack Heavy Duty Posts
- Slab Rack Storage Calculator Application

FRAMES

25-26

WOLF RACKS

TRANSPORT FRAMES

- Transport Framess
- Slab Buggies

FOLDING 'A' FRAMES

DEMOUNTABLE FRAMES

STORAGE FRAMES

- Storage 'A' Frames
- Replacement Rubber Strips
- Harp Rack

TROLLEYS

- Trolleys.....27
- Hand Trucks.....28

WORKBENCHES & STANDS

WORKBENCHES29

- Work Tables
- Adjustable Height Work Tables
- Fabrication Table & Stand
- Trestles - Flip Trolley

SCULPTURE TABLES.....30

EDGE POLISHING STANDS30

- Polishing Stand
- Vertical Polishing Frames

WORKSHOP EQUIPMENT

COUNTER TOP TOOLS.....31

- Joint Setters
- Ratchet Seam Setter
- Anti-Breakage Bars
- Lamination Rail Clamps
- Sinklocs

DRILL STANDS & ACCESSORIES.....32-33

- Pneumatic Anchor Machine
- Portable Water Supply Tank
- Electric Anchor Machine
- Portable Air Drill Machine
- Drill Stand With Vacuum Base
- Corner Clamp
- Miter & Corner Clamp
- Drill Guide
- Water Swivel

WASTE BINS34

SITE SAWS35

WORKSHOP TOOLS.....35

SLUDGE DEHYDRATOR FILTER36

Aardwolf presents a new range of Automatic Slab Lifters with a new innovative feature:

- Auto-lock and unlock, grip and release stone slabs automatically.
- The slab is easily engaged via the jaws of the lifter.
- The heavier the load the tighter the grip.
- Lift the packed slabs out of racks and shipping containers easier.
- Stone panels can be placed close to the wall.




MODEL	PRODUCT NAME	METRIC			IMPERIAL			
		GRIP RANGE (MM)	CAPACITY (KGS)	NET WEIGHT (KGS)	GRIP RANGE (INCH)	CAPACITY (LBS)	NET WEIGHT (LBS)	
AL30AWJ	AARDWOLF SLAB LIFTER AUTOMATIC	5 - 30	1200	20.6	0.2" - 1"	2646	45	
AL50A		10 - 50		19	0.4" - 2"		42	
AL60A		15 - 60		25	0.6" - 2"		55	
AL75A		30 - 75		19	1" - 3"		42	
AL50	AARDWOLF SLAB LIFTER	10 - 50		25	0.4" - 2"		55	42
AL60		15 - 60		19	0.6" - 2"		55	
AL75		30 - 75		24	1" - 3"		42	
AL50B	SLAB LIFTER TYPE B	10 - 50			24		0.4" - 2"	

THE LIFTER TWISTER IS THE PERFECT ACCESSORY TO AARDWOLF NEW PATENT PENDING AUTOGRAB LIFTERS

Aardwolf has created a new innovative device, the Lifter Twister. The device works with the Aardwolf Slab and Glass Lifters, forklift, truck crane to lift and move stone and glass sheets. The Twister is equipped the remote control and allows the user to independently perform all of the lifting and moving operations safer, faster and more convenient without the assistance of a handler on the ground.



LIFTING EQUIPMENT
VACUUM LIFTERS
AVLP 1

AVLP 2

AVLP 4

AVLB 4

ARV-180

AVLM 1


PRODUCT CODE	NUMBER OF PAD	PAD SIZE (MM)	METRIC		IMPERIAL		
			LIFTING CAPACITY (KGS)	NET WEIGHT (KGS)	PAD SIZE (INCH)	LIFTING CAPACITY (LBS)	NET WEIGHT (LBS)
AVLP1	1	520 x 320	125 - 250	43	20.5" x 12.6"	276 - 551	95
AVLP2	2		250 - 500	71		551 - 1102	157
AVLP3	3		300 - 600	72		661 - 1312	159
AVLP4	4		500 - 1000	109		1102 - 2204	240
AVLB4	4	150	160	28	6"	353	62
ARV-180	4	200		63			8"
AVLM1	1	420 X 220	150 - 250	28	15.2" x 8.7"	551	62
AVLM2	2	500 x 300	500	52	19.7" x 12"	1102	115

LIFTING EQUIPMENT
VACUUM LIFTERS
ELECTRIC VACUUM LIFTERS
AERV-180

AEVL1-250

AEVGLP4-500


AEVGLP8-1000



AEVLP4-500



AVGLP6-500



ARGL-500



ARGL-500DS



AEVLP8-1000




AEVLP8-2000



AEPVGL-MR



AEVGLP4



MODEL	PRODUCT NAME	PAD	METRIC			IMPERIAL		
			PAD DIAMETER (MM)	W.L.L (KGS)	N.W (KGS)	PAD DIAMETER (INCH)	W.L.L (LBS)	N.W (LBS)
AERV-180	ELECTRIC ROTATION VACUUM LIFTER	4	200	160	60	8"	353	132
AEVL1-250	ELECTRIC VACUUM LIFTER	1	520 x 320	250	35	20.5" x 12.6"	551	77
AEVGLP4-500	ELECTRIC VACUUM GLASS LIFTER	4	300	400 - 500	145	12"	882 - 1102	320
AEVGLP8-1000		8		800 - 1000	203		1764 - 2204	448
AEVLP4-500	ELECTRIC VACUUM LIFTER	4		500	192		1102	423
AVGLP6-500	VACUUM GLASS LIFTER	6		500	173		1102	381
ARGL-500	DC POWERED VACUUM GLASS LIFTER	4		400 - 500	68		882 - 1102	150
ARGL-500DS		8		400 - 500	83		882 - 1102	183
AEVLP8-1000	ELECTRIC VACUUM LIFTER	8	1000		2204			
AEVLP8-2000			350	2000	355	14"	4408	783
AEPVGL-MR	ELECTRIC POWERED VACUUM GLASS LIFTER		280	500	204	11.0"	1102	450



LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM GLASS LIFTERS

AVGLP2-AR



AVGLP4-MR-250



AVGLP4



AVGLP8



PRODUCT CODE	NUMBER OF PAD	METRIC			IMPERIAL		
		PAD SIZE (MM)	LIFTING CAPACITY (KGS)	N.W (KGS)	PAD SIZE (INCH)	LIFTING CAPACITY (LBS)	N.W (LBS)
AVGLP2-AR	2	OVERALL:300 SEAL TO SEAL:280	200	60	OVERALL:12" SEAL TO SEAL:11"	441	132
AVGLP4-MR-250	4	SEAL TO SEAL:280	250	81	SEAL TO SEAL:11"	551	179
AVGLP4	4		400 - 500	79		882- 1102	174
AVGLP8	8	SEAL TO SEAL:300	800 - 1000	108	SEAL TO SEAL:12"	1763 - 2204	238

LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM LIFTERS HANDY

AHVL500



AVLHP240/480



AVLHP240/480



PRODUCT CODE	METRIC			IMPERIAL		
	PAD SIZE (MM)	LIFTING CAPACITY (KGS)	N.W (KGS)	PAD SIZE (INCH)	LIFTING CAPACITY (LBS)	N.W (LBS)
AHVL500	520 x 125	120	21	20.5" X 5"	265	46
	520 x 160	180		20.5" X 6.3"	397	
	520 x 220	280		617		
	520 x 320	500		1102		
AVLHP240/480	520 x 320	240 - 480	23	20.5" X 12.6"	496 - 992	51
	300	120 - 240	18	42"	265 - 529	40



LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM BLOCK LIFTERS

AVBL-SERIES



A powerful battery-operated vacuum lifting device for laying marble and granite slabs, concrete and similar.

- Robust and compact design.
- Suspended on all types of lifting equipment by load hooks, chains and cables.
- Equipped with battery-operated vacuum pumps.
- Automatic vacuum pumping system.
- Audio-visual safety alarm system.
- Available in different pad sizes.

BATTERY INFORMATION FOR THE DEVICE

MODEL	VACUUM PAD (MM)	W.L.L (KGS)	VACUUM PAD (INCH)	W.L.L (LBS)
AVBL380	520 x 320	380	20.5" x 15"	838
AVBL1000	500 x 800	1000	31.5" x 19.7"	2204

CHARGING CYCLE	1000 TIMES
CHARGING TIME	8 HOURS
NON-STOP WORKING TIME	5 HOURS
STANDBY TIME	720 HOURS
BATTERY CAPACITY	12 V - 24A

LIFTING EQUIPMENT

VACUUM LIFTERS

MECHANICAL VACUUM LIFTERS


MONO MECHANICAL LIFTERS



MONO MECHANICAL LIFTERS (IN LINE)



PIPE LIFTER



PRODUCT CODE	PRODUCT NAME	NUMBER OF PADS	PAD DIAMETER (MM)	W.L.L (KGS)	N.W (KGS)	PAD DIAMETER (INCH)	W.L.L (LBS)	N.W (LBS)
AMMVL150	MONO MECHANICAL VACUUM LIFTERS	1	200	150	12	8"	331	26
AMMVL270			300	270	22	12"	595	49
AMMVL650			450	650	36	17.7"	1433	79
AMMVL1000			530	1000	55	21"	2204	121
AMVL250-2	MECHANICAL VACUUM LIFTERS	2	300	250	46	12"	551	101
AMVL250-4		4	190		49	7.5"		108
AMVL250-4 (IN LINE)		4			47			104
AMVL250-8		8			63			139
AMVL600-2		2	300	600	62	12"	1323	137
AMVL600-4		4	225		87	9"		192
AMVL600-4 (IN LINE)		4	300		73	12"		161
AMVL600-8		8	190		74	7.5"		163
AMVL600-10		10	450		351			774
AMVL1000-2		2			1000			245
AMVL1000-4		4	300	225		12"	496	
AMVL1000-8		8	318	701				
AMVL1000-10		10	190	340			7.5"	750

LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM PAVING LIFTERS



APSL



AVPL40



MODEL	VACUUM PAD (MM)	W.L.L (KGS)	VACUUM PAD (INCH)	W.L.L (LBS)
APSL	200 X 200	60	8" X 8"	132
	260 X 260	120	10" X 10"	264

MODEL	VACUUM PAD (MM)	W.L.L (KGS)	VACUUM PAD (INCH)	W.L.L (LBS)
AVPL40	120 X 220	40	4.7" X 8.7"	88
	80 X 120	5	3.4" X 4.7"	26
	150	40	6"	88

LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM LIFTER PARKING STATION

MODEL	METRIC		IMPERIAL	
	PACKAGING DIMENSION (MM)	N.W (KGS)	PACKAGING DIMENSION (INCH)	N.W (LBS)
PSAVLP1	840 x 400 x 200	13	33"x15.7"x7.9"	29
PSAVLP4	860 x 390 x 210	15	33.9"x15.4"x8.3"	33



PSAVLP SERIES





AARDWOLF VACUUM LIFTERS

VACUUM LIFTER - AVL P1



VACUUM LIFTER - AVL P2



VACUUM LIFTER - AVL P4



VACUUM BLOCK LIFTER



HAND PUMP VACUUM LIFTER



VACUUM LIFTER HANDY



LIFTING EQUIPMENT

SLAB LIFTERS

HORIZONTAL STONE LIFTING CLAMPS

AHLC-730



AHLC-2010-4T



MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	CAPACITY (KGS)	N.W (KGS)	GRIP RANGE (INCH)	CAPACITY (LBS)	N.W (LBS)
AHLC-730	280 - 730	1500	112	11" - 28"	3307	247
AHLC-1050	280 - 1050	1500	121	11" - 41"	3307	267
AHLC-1370	280 - 1370	1500	124	11" - 54"	3307	273
AHLC-2010	280 - 2010	1500	137	11" - 79"	3307	302
AHLC-2010-4T	300 - 2010	4000	228	12" - 79"	8818	503



LIFTING EQUIPMENT

SLAB LIFTERS

SCISSOR CLAMP LIFTERS

SCISSOR CLAMP LIFTER



MODEL	METRIC		IMPERIAL	
	GRIP RANGE (MM)	W.L.L (KGS)	GRIP RANGE (INCH)	W.L.L (LBS)
ASL105	0 - 105	750	0 - 4"	1653
ASL125	0 - 125	750	0 - 5"	1653
ASL200	50 - 200	1000	2" - 8"	2204
ASL300	150 - 300	1500	6" - 12"	3307
ASL450	300 - 450	2000	12" - 18"	4408

LIFTING EQUIPMENT

SLAB LIFTERS

VERSA BLOCK CLAMPS

VERSA BLOCK CLAMP




The Versa Block Clamp is made for lifting and moving concrete blocks, rubber tyres, drums or other materials. The clamp consists of two sliding pads that can be adjusted to the desired widths and they are locked by a locking latch on each side.

MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
AVBC-600	100 - 600	1200	48	4" - 23"	2646	106
AVBC-1100	150 - 1100	3000	161	6" - 43"	6614	355

LIFTING EQUIPMENT
SLAB LIFTERS
MONUMENT CLAMP/LIFTERS
GPM1000

GPM1000-A

GPM1500-A


MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	W.L.L (KGS)	NET WEIGHT (KGS)	GRIP RANGE (INCH)	W.L.L (LBS)	NET WEIGHT (LBS)
GPM1000	0 - 300	1000	33	0 - 12"	2204	73
GPM1000-A	20 - 300	1000	33	1" - 12"	2204	73
GPM1500-A	20 - 300	1500	52	1" - 12"	3307	115


LIFTING EQUIPMENT
SLAB LIFTERS
BARRIER LIFTERS
ABL-255/2000


The Aardwolf Barrier Lifters are the solution for lifting and moving heavy granite slabs, sandstone blocks and concrete barriers in a safe, easy and efficient manner. The material contact surface is protected by the clamp rubber covering. The clamps are gravity controlled, which opens when rested and closes when lifted.

MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
ABL-255/2000	100 - 255	2000	78	4" - 10"	4408	172
ABL-255/3000	100 - 255	3000	139	4" - 10"	6614	306
ABL-320/5000	100 - 320	5000	454	4" - 12"	11023	1001

LIFTING EQUIPMENT
SLAB LIFTERS
BILLET LIFTERS
BL59


The Aardwolf Slab Billet Clamp is used for handling marble and granite slabs from the billet saw.

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)
BL59	5 - 60	200	16
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
BL59	0.2" - 2"	441	35

LIFTING EQUIPMENT

DRUM LIFTER

ADC-572




The Drum Clamp is especially designed for lifting and moving drums in vertical position.

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)
ADC-572	572	500	20
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
ADC-572	22"	1102	44

LIFTING EQUIPMENT

BRICK LIFTERS

ABGL-1800



HBSG-1500

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)
ABGL-1800	800 - 1100	1800	561
HBSG-1500	0 - 1200	1500	950
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
ABGL-1800	31" - 43"	3968	1237
HBSG-1500	0 - 47"	3307	2095

LIFTING EQUIPMENT

ROCK LIFTER

ARL-800



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)
ARL-800	350 - 800	500	93
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
ARL-800	14" - 31"	1102	205

LIFTING EQUIPMENT

GLASS LIFTER

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)
AL30AWJH	5 - 30	1200	-
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
AL30AWJH	0.2" - 1"	2646	-



LIFTING EQUIPMENT

PIPE LIFTERS

Fast, efficient, flexible, smart and fully automatic, the Aardwolf mechanical lifters are designed to safely lift concrete pipes. The lifter does not require additional hydraulics. The operator is able to use the pipe lifter to grab, lift and move pipes without assistance.

CONCRETE PIPE LIFTER



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	N.W (KGS)
ACPL750	400 - 500	750	121
ACPL1500	500 - 750	1500	150
ACPL2500	750 - 1000	2500	564

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	N.W (LBS)
ACPL750	15" - 20"	1653	267
ACPL1500	20" - 29"	3307	331
ACPL2500	29" - 39"	5511	1243

LIFTING EQUIPMENT

ROUND LIFTERS

BL200



BL305



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	PIPE LENGTH (MM)
BL200	180 - 200	150	1000
BL305	200 - 305	320	-

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	PIPE LENGTH (LBS)
BL305	7" - 8"	331	39.4"
BL305	8" - 12"	706	-

LIFTING EQUIPMENT

SLAB LIFTERS

PIPE HANDLING ATTACHMENT

Faster, smarter, more efficient, flexible and fully automatic features enable the Pipe Handling Attachment to safely lift concrete pipes. No hydraulic power supply, slings, chains or manual assistants are needed during the lifting process.

PHA4000



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KGS)	PIPE LENGTH (MM)
PHA4000	300 - 1200	4000	2500

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LBS)	PIPE LENGTH (LBS)
PHA4000	12" - 47"	8818	98.4"

LIFTING EQUIPMENT

PALLET CRANE FORK

Aardwolf Pallet Crane Fork offers a flexible lifting solutions for loading, unloading, handling and transporting heavy materia within production environments. Aardwolf Pallet Crane Fork is a crane attachments engineered to optimize efficiency for overhead lifting for material handling systems.

APCF



METRIC		
MODEL	W.L.L (KGS)	NET WEIGHT (KGS)
APCF	2500	242

IMPERIAL		
MODEL	W.L.L (LBS)	NET WEIGHT (LBS)
APCF	5511	534

LIFTING EQUIPMENT


SLAB LIFTERS

SPREADER BEAMS

Providing lifting solution the large stone slabs to increase safety and efficiency.

- Highly safe and efficient lift large stone slabs.
- Keeps large materials balanced for safer transport.

SPREADER BEAM



METRIC		
MODEL	W.L.L (KGS)	NET WEIGHT (KGS)
ASB-2.5T	2500	46
ASB-3.5T	3500	73
ASB-5T	5000	104.7

IMPERIAL		
MODEL	W.L.L (LBS)	NET WEIGHT (LBS)
ASB-2.5T	5511	101
ASB-3.5T	7716	161
ASB-5T	11023	231

LIFTING EQUIPMENT

SLAB BUNDLE HANDLERS

SLAB BUNDLE HANDLERS



METRIC		
MODEL	W.L.L (KGS)	NET WEIGHT (KGS)
GBH01	2500	2030
SBH01	3000	2000
SBH02	5000	3200

IMPERIAL		
MODEL	W.L.L (LBS)	NET WEIGHT (LBS)
GBH01	5511	4475
SBH01	6614	4408
SBH02	11023	7055

LIFTING EQUIPMENT

STONE CARRYING HAND CLAMPS

SCC02



SCC03



SCC05



ASKC200



SCC04



MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		GRIP RANGE (MM)	W.L.L (KGS)	NET WEIGHT (KGS)	GRIP RANGE (INCH)	W.L.L (LBS)	NET WEIGHT (LBS)
SCC02	STONE PANEL CARRIERS	0 - 52	150/PAIR	2.3	0 - 2"	331/PAIR	4
SCC03	CARRY CLAMP FOR SHEET MATERIAL	0 - 64	200/PAIR	6.6	0 - 2"	441/PAIR	14.6
SCC04	STONE & CURB PLACEMENT CLAMP	100 - 500	200	16.9	4" - 20"	441	37.3
SCC05	CARRY CLAMP FOR SHEET MATERIAL	50 - 100	200/PAIR	8.3	2" - 4"	441/PAIR	18
ASKC200	STONE KERB CLAMP	0 - 260	200	23	0 - 10"	441	51



HVC



HVC01



OHVC



HVC05



HVC06



HVCC



MODEL	NAME	METRIC			IMPERIAL		
		CUP DIAMETER (MM)	W.L.L (KGS)	N.W (KGS)	CUP DIAMETER (INCH)	W.L.L (LBS)	N.W (LBS)
HVC	HAND VACUUM CUP LIFTER	220	120	1.46	8.7"	265	3.2
HVC01	HAND VACUUM CUP LIFTER		100	1.3	8.7"	220	2.9
OHVC	OVAL HAND VACUUM CUP LIFTER	380 x 80			15" - 3.1"		
HVC05	DOUBLE SUCTION CUP	122	50 - 100	0.8	4.8"	110 - 220	1.8
HVC06	TRIPLE SUCTION CUP		75 - 150	1		165 - 331	2.2
HVCC	HAND VACUUM CUP CARRIER	220	75 - 150	1	8.7"	165 - 331	2.2

LIFTING EQUIPMENT

CARGO LASHINGS & SLINGS

ENDLESS WEBBING SLING



RATCHET TIE DOWN



MODEL	METRIC			IMPERIAL		
	WEBBING WIDTH (MM)	EFFECTIVE LENGTH (MM)	W.L.L (KGS)	WEBBING WIDTH (INCH)	EFFECTIVE LENGTH (LBS)	W.L.L (LBS)
CLS1T	50	3000	1000	2"	118"	2204
CLS2T	60		2000	2.4"		4408
CLS3T	90		3000	3.5"		6614
RTD2A	50	9150	2500	2"	360.2"	5511
RTD1B	25	3000	225	1"	118"	500

HAND VACUUM CUP

**WORKING LOAD LIMIT
120 KGS - 260 LBS**



JIB CRANES

CMA01



AJCOCM



AGC-1500



AMCC



APCC



APCCL



TRANSPORT FRAME



JIB CRANES

MODEL	PRODUCT NAME	METRIC		IMPERIAL	
		MAXIMUM SPANS (MM)	W.L.L (KGS)	MAXIMUM SPANS (INCH)	W.L.L (BLS)
CMA01	ARTICULATED JIB CRANE - COLUMN MOUNTED	7000	500	275.6"	1102
AJCOCM	OVER BRACED JIB CRANE - COLUMN MOUNTED	7000	1000		2204
AGC-1500	PORTABLE GANTRY CRANE FROM AARDWOLF	3000	1000	118"	2204
		EXTENDED (MM)	W.L.L (KGS)	EXTENDED (INCH)	W.L.L (BLS)
AMCC	MANUAL COUNTERBALANCE CRANE	LENGTH: 1700 HEIGHT: 2760	540	LENGTH: 66.9" HEIGHT: 108.6"	1190
APCC	POWERED COUNTERBALANCE CRANE				
APCCL	POWERED COUNTERBALANCE CRANE WITH LATERAL MOVEMENT				



**HIGH-GRADE AUSTRALIAN
RECTANGULAR TUBE STEEL**



ADJUSTABLE LENGTH




MODEL	METRIC			IMPERIAL		
	MANUAL TELESCOPE (MM)	INCREMENT (MM)	W.L.L (KGS)	MANUAL TELESCOPE (INCH)	INCREMENT (INCH)	WORKING LOAD LIMIT (LBS)
FB1-2720	1610 - 2724	557	RETRACTED:1500/ EXTENDED: 500	63.4" - 107"	21.9"	RETRACTED:3307/ EXTENDED:1102
FB2-3580	2107 - 3580	491	RETRACTED:1500/ EXTENDED: 600	83" - 141"	19.3"	RETRACTED:3307/ EXTENDED: 1322
FB3-5380	2196 - 5380	796	RETRACTED: 2400/ EXTENDED: 300	86.5" - 212"	31.3"	RETRACTED: 5291/ EXTENDED: 661
FB4-4800	2800 - 4800	1000	RETRACTED: 3000/ EXTENDED:1000	110" - 189"	39.4"	RETRACTED: 6614/ EXTENDED:2204
FB2LP-3600	2121 - 3603	494	RETRACTED: 2400/ EXTENDED: 600	84.5" - 141.9"	19.4"	RETRACTED: 5291/ EXTENDED: 1322
FB3LP-5420	2210 - 5410	800	RETRACTED: 2400/ EXTENDED: 300	87" - 213"	31.5"	RETRACTED: 5291/ EXTENDED: 661
PFB1-2600	1500 - 2600	560	RETRACTED: 1500/ EXTENDED: 500	59" - 102.4"	22"	RETRACTED: 3307/ EXTENDED: 1102
PFB2-3450	1930 - 3412	494	RETRACTED: 1500/ EXTENDED: 600	76" - 134.3"	19.4"	RETRACTED: 3307/ EXTENDED: 1322



FORKLIFT EQUIPMENT

FORK EXTENSIONS

FORK EXTENSIONS



MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		WORKING LENGTH (MM)	W.L.L (KGS)	N.W (KGS)	WORKING LENGTH (INCH)	W.L.L (LBS)	N.W (LBS)
FES-1500	STANDARD (PAIR)	1500	1500	46	59"	3307	101
FES-2000		2000		62	78.7"		137
FES-2500		2500		86	98.4"		190
AFE-1500	HEAVY DUTY (PAIR)	1500	2500	74	59"	5511	163
AFE-2000		2000		91	78.7"		201
AFE-2500		2500		122	98.4"		269
FET-01				10.5			23


FORKLIFT EQUIPMENT

FORK ATTACHMENTS & ACCESSORIES

MSS




FHADF2




FHASF1



SWIVEL HOOK



BOW SHACKLE



ACSC




SS 15T



SSC 15T



MODEL	PRODUCT NAME	METRIC		IMPERIAL	
		W.L.L (KGS)	NET WEIGHT (KGS)	W.L.L (LBS)	NET WEIGHT (LBS)
MSS	TWISTER - MOTORISED SWIVEL	1200	31	2646	68
FHAD2	FORK HOOK ATTACHMENT - DOUBLE FORK	3000	13	6614	29
FHAS1	FORK HOOK ATTACHMENT - SINGLE FORK	1500	7.5	3307	16.5
SH15T/SH30T/SH70T	SWIVEL HOOK (ALLOY STEEL)	1500/3000/7000	0.60/1.4/4	3307/6614/15432	1.36/3.1/9
BS13T/BS30T	BOW SHACKLE	1500/3250	0.2	3307/7165	0.44
ACSC	COLLAPSIBLE SAFETY CAGE	250	155	551	342
SS15T	FORGED ALUMINIUM SWIVEL	1500	0.5	3307	1
SSC15T	COMBO SWIVEL-CHAIN-LIFTING LUG		1.5		3.3



SLAB RACKS & BUNDLE RACKS



MODEL	PRODUCT NAME	RAIL LENGTH (MM)	POST (MM)	NET WEIGHT OF BASE (KGS)	RAIL LENGTH (INCH)	POST (INCH)	NET WEIGHT OF BASE (LBS)
AFGR	FINISHED GOODS RACK	2400	50 x 50	24/PCS	94.5"	2" x 2"	53/PCS
AWR01P	WORKSHOP RACK			78/PCS			171/PCS
ASR01	SLAB RACK	3000	100 x 50	84/PCS	118"	3.9" x 2"	185/PCS
ABR01	BUNDLE RACK						
ARR01	REMNANT RACK						




MODEL	PRODUCT NAME	POST SIZE (MM)	POST SIZE (INCH)
FGR06	FINISHED GOODS POST RACK	50 x 50 x 700	2" x 2" x 27.6"
ASR06	SLAB RACK POSTS	50 x 50 x 800	2" x 2" x 31.5"
ASR07		50 x 50 x 1200	2" x 2" x 47.2"
ASR08		50 x 50 x 1400	2" x 2" x 55.1"
ASR09		50 x 50 x 1600	2" x 2" x 63"
ASR10		50 x 50 x 1800	2" x 2" x 70.8"
ABR06	BUNDLE RACK POSTS	100 x 50 x 1200	4" x 2" x 47.2"
ABR07		100 x 50 x 1400	4" x 2" x 55.1"
ABR08		100 x 50 x 1600	4" x 2" x 63"

FRAMES

FOLDING 'A' FRAMES



WOLF RACK



DEMOUNTABLE FRAME



SLAB BUGGY



STONE 'A' FRAME



HARP RACK



TRANSPORT FRAME-AF1850



TRANSPORT FRAME-AF2440



TRANSPORT FRAME-TF2000



TRANSPORT FRAME-TF2440



TRANSPORT FRAME-TF3050



TRANSPORT FRAME-TF3050H



PRODUCT CODE	CATEGORY	METRIC			IMPERIAL		
		WIDTH OF EACH SIDE (MM)	W.L.L (KGS)	NET WEIGHT (KGS)	WIDTH OF EACH SIDE (INCH)	W.L.L (LBS)	NET WEIGHT (LBS)
FAF1600	FOLDING 'A' FRAMES	386	6000	171	15.2"	13228	377
FAF1800		352		250.5	13.9"		552
FAF2100		465	7500	286.5	18.3"	16534	632
WR1270/1200	WOLF RACKS	204	1000		8"	2204	
WR1270/1600							
WR1270/2000							
WRP1270/1200							
WRP1270/1600		510			20"		
WRP1270/2000							
DFH200	DEMOUNTABLE FRAME	304	750	92	12"	1653	202
DFF200		300	1000	102	11.8"	2204	225
DFF400				162			357
DFF1500PC				123.5			272
DAF2350PC		212	1500	170.5	8.3"	3307	376
TFDFF24		300	1000	63	11.8"	2204	139
TFDFH2		304	750	45	12"	1653	99
AF1850QP		295	1100 - 4000	246	11.6"	2425 - 8818	542
AF2440QP		323	2000 - 4000	272	12.7"	4408 - 8818	600
SBSS-E	TRANSPORT FRAME	204.5	400	41	8"	881.8	90
SBSS			600	44.8		1323	98.8
SBDS			750	61.7		1653	136
TF2000		268	2500	172	10.6"	5511	379
TF2440				193			425
TF3050				239			527
TF3050H	207			260			8"
SAF01	STONE 'A' FRAME	610	5000	137	24"	11023	302
SAF02		620	5500	66.5	24.4"	12000	147
SAF03		557	5500	102.5	21.9"		226
AHR	HARP RACK	-	1000	-	-	2204	-



AVT01



AST01



ALM01



AQT01



ABT01



SELF LOCKING TROLLEY



MODEL	PRODUCT NAME	METRIC					IMPERIAL				
		GRIP RANGE (MM)	W.L.L (KGS)	RUBBER WHEEL (MM)	SUPPORT PLATE (MM)	NET WEIGHT (KGS)	GRIP RANGE (INCH)	W.L.L (LBS)	RUBBER WHEEL (INCH)	SUPPORT PLATE (INCH)	NET WEIGHT (LBS)
AST01	SLAB TROLLEY		300	205	402 x 80 x 41	8		661	8"	15.8" X 3" X 1.6"	18
ALM01	LOAD MASTER		400	350	858 x 80 x 41	15		882	13.8"	33.8" x 3.1" x 1.6"	33
AQT01	QUAD TROLLEY		300	265	550 x 80 x 41	17		661	10.4"	21.7" X 3" X 1.6"	37
ABT01	BROAD TROLLEY		450	350	854 x 212 x 50	28		992	13.8"	33.6" X 8.3" X 2"	61.7
SL60	SELF LOCKING TROLLEY	0 - 60	400	265	500	14	0 - 2.4"	882	10.4"	19.7"	31
SL85		0 - 85		26		0 - 3"	57				
SL100		0 - 100		28		0 - 4"	62				
SL155		0 - 155		30		0 - 6"	66				

FOLDING 'A' FRAMES - Sturdy and safe structure



TROLLEYS
HAND TRUCKS


MODEL	PRODUCT NAME	METRIC					IMPERIAL				
		HEIGHT (MM)	TRACK WIDTH (MM)	BLADE DIMENSION (MM)	RUBBER WHEEL (MM)	W.L.L (KGS)	HEIGHT (INCH)	TRACK WIDTH (INCH)	BLADE DIMENSION (INCH)	RUBBER WHEEL (INCH)	W.L.L (LBS)
AHT500	HAND TRUCK MOD	338	580	580 x 210	265	500	13.3"	22.8"	22.8" x 8.3"	10.4"	1102
AHT750		1260	580	420 x 80	250	750	49.6"	22.8"	16.5" x 3.1"	9.8"	1653
AHT750H		1360	620	420 x 60	400		53.5"	24.4"	16.5" x 2.4"	15.7"	
AHPT750		1308	630	360 x 100	350		51.5"	24.8"	14.2" x 3.9"	13.8"	
AHPT1000		1585	700	420 x 90	400	1000	62.4"	27.6"	16.5" x 3.5"	15.7"	2204
AHTC750	TRANSPORT TRUCK	1400	580	355 x 130	265	750	55.1"	22.8"	14" X 5"	10.4"	1653
AHTC1500		1734	685	470 x 120	400	1250	68.3"	27"	18.5" x 4.7"	15.7"	2756
AFT01		FRONT TROLLEY	1520	600	-		260	59.8"	23.6"		

WORK TABLE



FABRICATION TABLE



TRESTLE



FLIP TROLLEY



MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		SIZE OF TABLE (MM)	WIDTH WITH THE TOP (MM)	W.L.L (KGS)	SIZE OF TABLE (INCH)	WIDTH WITH THE TOP (INCH)	W.L.L (LBS)
WT600	WORK TABLES	1906 x 600	679	500	75" x 23.6"	26.7"	1102
WT910		1906 x 915	950		75" x 36"	37.4"	
AHWT600	ADJUSTABLE HEIGHT WORK TABLES	1906 x 600	HEIGHT		75" x 23.6"	HEIGHT	
HWT910		1906 x 915	950		75" x 36"	37.4"	
PFT01	PREMIUM FABRICATION TABLE	-	-	450	-	-	1000
FT01	FABRICATION TABLE	2130 x 725	-	300	83.9" x 28"	-	661
AEFT	ECONOMY FABRICATION TABLE	1840 x 610	-	200	72.4" x 24"	-	440
FS01	FABRICATION STAND	-	915 - 1118	650	-	36" - 44"	1433
		ADJUSTABLE WIDTH (MM)	HEIGHT (MM)	W.L.L (KGS)	ADJUSTABLE WIDTH (INCH)	HEIGHT (INCH)	W.L.L (LBS)
AT765N	TRESTLES	100	765	1000	3.9"	30.1"	2204
AT855N			855			33.6"	
AT765W			765			30.1"	
AT855W			855			33.6"	
FT02	FLIP TROLLEY			500			1102

WORKBENCHES & STANDS

SCULPTURE TABLES

ST750



ST1000



	METRIC	IMPERIAL
MODEL	W.L.L (MM)	W.L.L (LBS)
ST750	750	1653
ST1000	1000	2204

WORKBENCHES & STANDS

EDGE POLISHING STANDS


PSALG01



VERTICAL POLISHING FRAME



MODEL	PRODUCT NAME	GRIP RANGE (MM)	N.W (KGS)	GRIP RANGE (INCH)	N.W (LBS)
PSALG01	POLISHING STAND AUTO LOCK	0 - 60	33	0 - 2"	72.8
VPF700	VERTICAL POLISHING FRAMES	0 - 55	18.25	0 - 2"	40.2
VPF1300			37.8		83
VPF1800			27.7		61
VPF2400			30		66



JOINT SETTER



CTTRSS1



LAMINATION RAIL



SINKLOC



ANTI-BREAKAGE BAR



MODEL	PRODUCT NAME	NET WEIGHT (KGS)	VACUUM BASE SIZE (MM)		NET WEIGHT (LBS)	VACUUM BASE SIZE (INCH)	
BOSS	BATTERY JOINT SETTER	16	230 X 190		35	9" X 7.5"	
EOSS	ELECTRIC JOINT SETTER	17					
CTTRSS1	RATCHET SEAM SETTER	9	-		20	-	
		GRIP RANGE (MM)	LENGTH (MM)	N.W (KGS)	GRIP RANGE (INCH)	LENGTH (INCH)	N.W (LBS)
CTTABB4	ANTI-BREAKAGE BAR 4'	17 - 45	1220	8.4	0.7" - 2"	48	19
CTTABB6	ANTI-BREAKAGE BAR 6'		1830	12		72	26
CTTABB8	ANTI-BREAKAGE BAR 8'		2440	14		96	31
CTTBC5	LAMINATION RAIL CLAMP 5'	26 - 63	127	0.7	1" - 2"	5	1.5
CTTBC10	LAMINATION RAIL CLAMP 10'		245	1		9.6	2
CTTBC2	LAMINATION RAIL CLAMP 2'		610	3		24	6
CTTBC3	LAMINATION RAIL CLAMP 3'		915	4		36	9
CTTBC4	LAMINATION RAIL CLAMP 4'		1220	5		48	11
CTTBC6	LAMINATION RAIL CLAMP 6'		1830	6		72	13
CTTS24	SINKLOC 24	0 - 450	-	2	0 - 17"	-	4
CTTS42	SINKLOC 42		-	3.5		-	8


WORKSHOP EQUIPMENT
DRILL STANDS & ACCESSORIES
APAM

EAM


APADM

DSA07


DG01

PWST

WS01

WS02

WS03

WS04


MODEL	PRODUCT NAME	NO LOAD SPEED (RPM)	METRIC		IMPERIAL	
			DRILLING BORE SIZE (MM)	N.W (KGS)	DRILLING BORE SIZE (INCH)	N.W (LBS)
APAM	PNEUMATIC ANCHOR MACHINE	25000	6	3	0.2"	7
EAM	ELECTRIC ANCHOR MACHINE	30000	6	4	0.2"	9
APADM	PORTABLE AIR DRILL MACHINE	1200	50	10	2"	22
DSA07	DRILL STAND WITH VACUUM BASE		60	6	2.4"	13
DG01	DRILL GUIDE		43(DRILL COLLAR)	3	1.7" (DRILL COLLAR)	7
PWST	PORTABLE WATER SUPPLY TANK	WORKING PRESSURE: 0.15 - 0.6 MPA			TANK CAPACITY: 16 LITERS	
WS	WATER SWIVEL	OPTIONAL ADAPTER: M.1/2 - M.5/8 NPT - M.M14 - Ø10				



MODEL	PRODUCT NAME	GRIP RANGE	CUP DIAMETER (MM)	NET WEIGHT (KGS)	GRIP RANGE	CUP DIAMETER (MM)	NET WEIGHT (LBS)
MC250	AARDWOLF MITER CLAMP	50 - 250	118	4	2" - 10"	4.6"	9
ACC250	AARDWOLF CORNER CLAMP			7			15
ABMC	MITER CLAMPS - VACUUM ASSISTED	-	-	12	-	-	26.4

AARDWOLF MITER & CORNER CLAMP

THE PROFESSIONAL'S CHOICE FOR PRECISION ASSEMBLY OF JOINTS



ACC250 / MC 250 & ABMC

11.2018

- BATTERY OPERATED VACUUM PUMP WITH A RESERVE VACUUM TANK
- FINE-TUNE, SIMPLE AND EFFICIENT ADJUSTMENTS OF THE MITER CLAMP
- ALUMINIUM CONSTRUCTION WITH A POWDER-COATED FINISH
- FAST, PRECISE, 90-DEGREE CLAMPING
- NON-MARKING AND NON-SLIDING HOLD ON MATERIAL IN TIGHT PLACES
- NO EXTRA ASSISTANCE REQUIRED FOR KEEPING SLABS IN POSITION

WATCHING VIDEO HERE ▶

COME SEE IT IN ACTION AT THE BIG5 EXPO

AL JEDAR TRADING STAND: 7C301

WATCHING VIDEO HERE ▶

ACC250 / MC 250	VACUUM ASSISTED ABMC
2 MITER CLAMPS	1 CORNER CLAMPS
2 MITER CLAMPS	2 CORNER CLAMPS
1 BATTERY-OPERATED	

DROP BOTTOM BIN



POWDER COATED



GALVANISED



MODEL	PRODUCT NAME	METRIC		IMPERIAL	
		W.L.L (KGS)	N.W (KGS)	W.L.L (INCH)	N.W (LBS)
WB620PC	WASTE BIN (POWDER COATED)	1000	170	2204	375
WB1000PC					
WB1000G	WASTE BIN (GALVANISED)	1500	221	3307	487
ADBB-2000	DROP BOTTOM BIN				



WORKSHOP EQUIPMENT

SITE SAW

SSM 1200



SSM 2000



MODEL	POWER SUPPLY	METRIC		IMPERIAL	
		TOTAL LENGTH (MM)	NET WEIGHT (KGS)	TOTAL LENGTH (INCH)	NET WEIGHT (LBS)
SSM1200	220V-1PHASE 50-60HZ	1370	151	54"	333
SSM2000		1540	210	60.6"	463

WORKSHOP EQUIPMENT

WORKSHOP TOOLS

CNCTR15



CNCTC30



CNCTC42



MODEL	PRODUCT NAME	TOOL HOLDER	METRIC	IMPERIAL
			PACKAGING DIMENSION (MM)	PACKAGING DIMENSION (INCH)
CNCTR15	CNC TOOLING RACK	15	730 x 440 x 210	28.7" x 17.3" x 8.3"
CNCTC30		30	860 x 520 x 250	34" x 20.5" x 9.8"
CNCTC42		42	1230 x 540 x 300	48.4" x 21.3" x 12"



Get The Aardwolf AAdvantage



The AARDWOLF Sludge Dehydrator Filter is a dehydration system for the fast collection and trapping of the abrasive mud produced by machining and finishing marble, granite, and other stone. The AARDWOLF Sludge Dehydrator Filter is an economical, one step method in separating and dewatering sludges and slurries. The AARDWOLF Sludge Dehydrator Filter is constructed of Stainless Steel and consists of four basic components: pump, mud holding tank, clean water tray, and filter bags. The AARDWOLF Sludge Dehydrator Filter has no moving parts and requires minimal maintenance.




SPECIFICATIONS

- Dimensions – 89.4” x 86.6” x 23.6”
(227cm x 222cm x 60cm)
- Weight – 617 lbs (280kg)
- Power requirements (USA) – 230v 60Hz
- Weekly Output Capacity of Dry Mud – 22 ft³
- Mud Holding Tank Capacity – 145 Gallons
(550 liters)
- Sump pump - 6E-CIA-SFS 189 lpm / or equal
- Float Switch – Mechanical
- Valves – 2 inch BSP Brass Nickel Plated

PACKAGE INCLUDES

- 4 plastic curtains
- 2 stainless steel curtain rods
- 1 industrial water hose
- 3 industrial hose clamps
- 15 polypropylene filtration bags
- 1 pit cleaning tool/ air stick




AARDWOLF COMBO BOOM, SWIVEL & LIFTING CLAMP

COMBO 1





COMBO 2



COMBO 3



AARDWOLF COMBO BOOM, SWIVEL & LIFTING CLAMP



GENERAL CATALOGUE

FOR STONE, GLASS & STEEL INDUSTRIES



Get The Aardwolf AAdvantage

2021



AMERICA



AARDWOLF AMERICA

- 📍 19201 S Reyes Avenue, Unit C7
Compton California, 90221
- ☎ (562) 553-6050
- ✉ leo@aardwolfusa.com
- 🏠 www.aardwolfusa.com

AUSTRALIA



AARDWOLF AUSTRALIA

- 📍 1/5 Stanton Road,
Seven Hills NSW 2147
- ☎ +02 9838 8427
- ✉ enquiries@aardwolfaustralia.com
- 🏠 www.aardwolfaustralia.com

GERMANY



STONE GLASS EQUIPMENT UG

- 📍 Am Gutstüch 11, 8451 Crammichau
Blankenhain, Germany.
- ☎ +49 366 0811 9236
- ✉ sales@aardwolf.com.de
- 🏠 www.aardwolf.com.de

INDIA



AARDWOLF NORTH INDIA

- 📍 Harmara Road, Industrial Area,
Madanganj, Kishangarh, Rajasthan
India / Pin no. 305801
- ☎ Tel: +91 93584 48474
- ✉ sales@aardwolf.co.in
- 🏠 Web: www.aardwolf.co.in

INDIA



AARDWOLF CENTRAL INDIA

- 📍 No: 6, Sharma Complex, 3rd Cross,
Ganesha Block, Dinnur Main Road,
R. T. Nagar P.O Bengaluru-560032
- ☎ +91 99017 24600
- ✉ bengaluru@aardwolf.co.in
- 🏠 www.aardwolf.co.in

INDIA



AARDWOLF SOUTH INDIA

- ☎ +91 97659 06007
- ✉ mumbai@aardwolf.co.in
- 🏠 www.aardwolf.co.in

VIETNAM



AARDWOLF VIETNAM

- 📍 1B, An Phu, Thuan An,
Binh Duong, Vietnam.
- ☎ +84 274 371 2827438/39
- ✉ sales@aardwolf.com.au
- 🏠 www.aardwolf.com.au

AARDWOLF PRODUCT VIDEO
www.youtube.com/user/AardwolfGroup



CONTACT US



aardwolf.com.au



sales@aardwolf.com.au



+84 274 371 2839